

Percusión

		328
		328
		329
		329
		330
		330
		331
		332
		333
		334
		335
		336
		338
		339



Percusión

Martillos de Bola



700

Mango Hickory



	g	A mm	L mm	Part N°	€	Part N°	€
B	340	28	315	700-340	12,55	700H-315	4,96
C	455	30	350	700-455	15,17	700H-350	5,36
D	560	32	350	700-560	17,53	700H-350	5,36
E	680	34	360	700-680	19,43	700H-360	5,99
F	910	38	390	700-910	21,03	700H-390	6,21
G	1130	40	420	700-1130	23,34	700H-420	6,21
H	1360	40	420	700-1360	25,04	700H-420	6,21

701

Mango Fibra de Vidrio



	g	A mm	L mm	Part N°	€
C	455	30	310	701-455	20,85
D	560	32	310	701-560	22,75
E	680	34	330	701-680	24,83
F	910	38	365	701-910	29,15
H	1360	40	400	701-1360	38,51

Martillos de Peña

702

Mango Hickory



g	A mm	L mm	Part N°	€	Part N°	€
100	18	270	702-100	9,24	702H-100	4,39
135	20	270	702-135	10,28	702H-135	4,77
180	22	290	702-180	11,18	702H-180	5,14
320	25	290	702-320	11,85	702H-320	5,72
420	30	300	702-420	13,98	702H-420	7,30

703

Mango Fibra de Vidrio



g	A mm	L mm	Part N°	€
100	18	270	703-100	13,69
135	20	270	703-135	14,86
180	22	270	703-180	15,23
320	25	270	703-320	16,04
420	30	300	703-420	16,74

704

Mango Hickory



g	L mm	Part N°	€	Part N°	€
1000	260	704-1000	19,13	704H-260	7,00
1250	260	704-1250	21,63	704H-260	7,00

705

Mango Fibra de Vidrio



g	L mm	Part N°	€	Part N°	€
1000	260	705-1000	22,28	705H-260	8,15
1250	260	705-1250	24,78	705H-260	8,15

Martillos de Uña Curva

708

Mango Hickory



g	L mm	Part N°	€	Part N°	€
400	370	708-400	13,49	708H-400	4,90
600	370	708-600	15,47	708H-600	5,34
800	370	708-800	16,94	708H-800	5,90



Percusión

Martillos Rivoir



728

Mango Hickory



g	A mm	L mm	Part N°	€
520	30	285	728-30	16,79
700	35	305	728-35	20,17
1050	40	340	728-40	24,64
1350	45	360	728-45	26,22
1550	50	400	728-50	28,99

729

Mango Fibra de Vidrio



g	A mm	L mm	Part N°	€
550	30	285	729-30	18,66
750	35	305	729-35	22,41
1100	40	340	729-40	27,38
1400	45	360	729-45	28,76
1600	50	400	729-50	29,98

Martillos de Encofrador

710

Mango Hickory



g	L mm	Part N°	€	Part N°	€
500	370	710-500	20,42	710H-370	7,00
700	370	710-700	21,29	710H-370	7,00

711

Mango Fibra de Vidrio



g	L mm	Part N°	€	Part N°	€
700	370	711-700	27,59	711H-370	11,00

Mazas

712

Mango Hickory



g	L mm	Part N°	€	Part N°	€
3000	900	712-3000	49,59	712H-900	23,99
5000	900	712-5000	81,69	712H-900	23,99



Percusión

Mazas



713

Mango Fibra de Vidrio



g	L mm	Part N°	€	Part N°	€
3000	900	713-3000	49,42	713H-900	24,50
4000	900	713-4000	67,62	713H-900	24,50
5000	900	713-5000	76,07	713H-900	24,50

Maza Cuña

726

Mango Fibra de Vidrio



g	L mm	Part N°	€
3000	950	726-3000	68,38

714

Mango Hickory



g	L mm	Part N°	€
700	330	714-700	24,73

715

Mango Fibra de Vidrio



g	L mm	Part N°	€	Part N°	€
700	370	715-700	30,58	717H-370	11,65

Alcotanas Pala-Hacha

716

Mango Hickory



g	L mm	Part N°	€
550	330	716-550	21,35
650	370	716-650	25,03

717

Mango Fibra de Vidrio



g	L mm	Part N°	€	Part N°	€
550	370	717-550	24,68	717H-370	11,65
650	370	717-650	27,90	717H-370	11,65



Percusión

Alcotanas Pala-Pico



718

Mango Hickory



g	L mm	Part N°	€
400	330	718-400	23,00
650	330	718-650	25,78

719

Mango Fibra de Vidrio



g	L mm	Part N°	€	Part N°	€
400	330	719-400	28,08	719H-330	11,65
650	330	719-650	30,85	719H-330	11,65

Hacha

724

Mango Hickory



g	L mm	Part N°	€	Part N°	€
500	450	724-500	22,37	724H-450	7,96
700	450	724-700	24,21	724H-450	7,96
1000	680	724-1000	32,96	724H-680	12,87

721

Cabeza de Pico



g	Part N°	€
2500	721-2500	33,03
3000	721-3000	36,93

722H

Mango Hickory para Pico



L mm	Part N°	€
900	722H-900	16,50

723H

Mango Fibra de Vidrio para Pico



L mm	Part N°	€
900	723H-900	22,50



Percusión

Martillos de Bocas de Nylon



730

Mango Metálico



Ø mm	Rosca Cabeza	L mm	Part N°	€
25	M8	250	730-25	17,80
30	M8	250	730-30	18,51
35	M10	260	730-35	24,18
40	M10	295	730-40	31,48
45	M12	295	730-45	34,68

732

Bocas de Nylon con Rosca



Ø mm	Part N°	€
25	732-25	1,63
30	732-30	2,03
35	732-35	2,63
40	732-40	3,41
45	732-45	3,71

731

Mango Hickory



Ø mm	Rosca Cabeza	L mm	Part N°	€
25	M8	250	731-25	11,97
30	M8	250	731-30	12,84
35	M10	260	731-35	16,31
40	M10	280	731-40	20,72
45	M12	280	731-45	23,60

732

Bocas de Nylon con Rosca



Ø mm	Part N°	€
25	732-25	1,63
30	732-30	2,03
35	732-35	2,63
40	732-40	3,41
45	732-45	3,71

733

Antirrebote con Mango Hickory



Ø mm	Rosca Cabeza	L mm	Part N°	€
25	M10	260	733-25	18,53
30	M10	260	733-30	23,08
35	M10	260	733-35	26,49
40	M10	290	733-40	41,14
50	M10	290	733-50	46,23
60	M10	290	733-60	55,44

- Cuerpo relleno de bolas de acero
- Mangos de auténtica madera Hickory
- Bocas de barra de Nylon extrusionado de gran resistencia y dureza shore D68

734

Bocas de Nylon con Rosca



Ø mm	Part N°	€
25	734-25	2,52
30	734-30	3,63
35	734-35	4,26
40	734-40	6,77
50	734-50	7,25
60	734-60	8,19

740

Antirrebote con Mango Hickory



Ø mm	Ø1	L mm	Part N°	€
25	9,5	260	740-25	20,30
30	9,5	260	740-30	25,28
35	11,5	260	740-35	29,01
40	11,5	290	740-40	45,06
50	13,5	290	740-50	50,63

- Cuerpo relleno de bolas de acero
- Mangos de auténtica madera Hickory
- Bocas de barra de Nylon extrusionado de gran resistencia y dureza shore D68

741

Bocas de Nylon a presión



Ø mm	Part N°	€
25	741-25	5,01
30	741-30	6,21
35	741-35	7,45
40	741-40	8,98
50	741-50	13,37



Percusión

Mazas Integrales de Poliuretano



735

Antirrebote



g	Ø mm	L mm	Part N°	€
450	40	235	735-450	16,25
620	40	240	735-620	19,43
800	45	250	735-800	21,38
920	50	250	735-920	23,35
1100	55	285	735-1100	24,48
1350	60	290	735-1350	24,98
1800	65	300	735-1800	31,13
2200	70	310	735-2200	42,48

739

Mango Bimaterial



g	Ø mm	L mm	Part N°	€
225	45	220	739-225	9,18
340	50	220	739-340	12,53
455	55	250	739-455	16,00
685	60	270	739-685	18,90
920	65	270	739-920	22,53

Mazas de Goma

736

Mango Hickory



g	Ø mm	L mm	Part N°	€
225	45	320	736-225	6,95
340	50	320	736-340	7,48
455	55	320	736-455	7,80
685	60	330	736-685	10,38
920	65	330	736-920	12,63

737

Mango Hickory para Solador



g	Ø mm	L mm	Part N°	€
225	43	320	737-225	9,73
340	47	320	737-340	10,63
455	57	320	737-455	11,68
685	67	330	737-685	13,88
920	70	330	737-920	16,40

738

Combinada con Mango Hickory



g	Ø mm	L mm	Part N°	€
225	45	320	738-225	9,47
340	50	320	738-340	10,35
455	55	320	738-455	12,87
685	60	330	738-685	14,29
920	65	330	738-920	18,07

749

Granete Hexagonal

CrV



A mm	Hex mm	L mm	Part N°	€
1	10	120	749-01-10	4,73
2	10	100	749-02-10	5,15
3	10	100	749-03-10	5,15
4	10	120	749-04-10	5,15
5	12	120	749-05-12	5,99
6	12	120	749-06-12	6,29
8	12	120	749-08-12	6,53

744

Granete con Protector

CrV



A mm	B mm	L mm	Part N°	€
4	10	175	744-04-10	8,32
6	10	175	744-06-10	8,32

746

Botador Cilíndrico

CrV



A mm	Hex mm	L mm	Part N°	€
2	10	150	746-02-10	4,87
3	10	150	746-03-10	4,91
4	10	150	746-04-10	4,96
5	10	150	746-05-10	5,70
6	10	150	746-06-10	6,15
7	12	150	746-07-12	6,15
8	12	150	746-08-12	6,22
10	12	150	746-10-12	6,04

745

Botador Cónico con Protector

CrV



A mm	B mm	L mm	Part N°	€
2	10	165	745-02-10	9,04
3	10	175	745-03-10	9,04
4	10	185	745-04-10	9,04
5	10	200	745-05-10	9,04
6	10	200	745-06-10	9,04
8	10	200	745-08-10	9,04



Percusión

Granetes y Botadores



747

Botador Cilíndrico Serie Larga

CrV



A mm	Hex mm	L mm	Part N°	€
4	10	180	747-04-10	8,49
6	10	180	747-06-10	8,49

748

Botador Cónico

CrV



A mm	Hex mm	L mm	Part N°	€
2	10	120	748-02-10	4,73
3	10	120	748-03-10	4,73
4	10	120	748-04-10	4,73
5	10	120	748-05-10	4,73
6	10	120	748-06-10	5,93
8	10	120	748-08-10	5,97

750

Granete Automático

CrV

125 mm



Part N°	€
750-001	25,67

750

Puntas de Recambio para Granete Automático

CrV

Apta para
750



Part N°	€
750-002	3,02

746

Botadores Cilíndricos

6

Pcs

150
mm



Ø 3x10 · 4x10 · 5x10 · 6x10 · 7x12 · 8x12 mm

Part N°	€
746-001	37,85

746

Botadores Cónicos y Granete Hexagonal

6

Pcs

120
mm



Ø 4x10 mm

Ø 1x10 · 2x10 · 3x10 · 4x10 · 5x10 mm

Part N°	€
746-002	29,99



Percusión

Cinceles



755

Cinzel para Electricista

CrV



A mm	mm	L mm	Part N°	€
12	10	200	755-12-10-200	6,32
12	10	250	755-12-10-250	7,27
12	10	300	755-12-10-300	8,15

753

Cinzel

CrV



A mm	mm	L mm	Part N°	€
22	16	250	753-22-16-250	12,56
22	16	300	753-22-16-300	15,45
25	19	350	753-25-19-350	17,64
25	19	400	753-25-19-400	21,94

751

Cinzel con Protector

CrV



A mm	mm	L mm	Part N°	€
22	16	250	751-22-16-250	17,76
22	16	300	751-22-16-300	20,65
25	16	350	751-25-16-350	22,84
25	16	400	751-25-16-400	27,14

754

Puntero

CrV



A mm	mm	L mm	Part N°	€
4	16	250	754-04-16-250	11,61
4	16	300	754-04-16-300	14,38
4	19	350	754-04-19-350	15,45
4	19	400	754-04-19-400	25,20

752

Puntero con Protector

CrV




A mm	mm	L mm	Part N°	€
4	16	250	752-04-16-250	16,81
4	16	300	752-04-16-300	19,58
4	16	350	752-04-16-350	20,65
4	16	400	752-04-16-400	30,40



757

Cortafíos

CrV




A mm	B x C mm	L mm	Part N°	€
30	23 x 13	200	757-30-23-200	11,19
30	23 x 13	250	757-30-23-250	13,07
30	23 x 13	300	757-30-23-300	14,26
30	23 x 13	350	757-30-23-350	16,38
30	23 x 13	400	757-30-23-400	18,41

756

Cortafíos con Protector

CrV




A mm	B x C mm	L mm	Part N°	€
30	23 x 13	250	756-30-23-250	18,27
30	23 x 13	300	756-30-23-300	19,46
30	23 x 13	350	756-30-23-350	21,58
30	23 x 13	400	756-30-23-400	23,61

758

Cinzel para Ranuras

CrV




A mm	B x C mm	L mm	Part N°	€
50	23 x 13	250	758-50-23-250	19,75
70	23 x 13	250	758-70-23-250	21,69

759

Cinzel para Ranuras con Protector

CrV



A mm	B x C mm	L mm	Part N°	€
50	23 x 13	250	759-50-23-250	24,95
70	23 x 13	250	759-70-23-250	26,89



Percusión


Buriles



761

Buril

CrV



B mm	C mm	L mm	Part N°	€
23	13	200	761-23-13-200	13,62
23	13	250	761-23-13-250	15,53

762

Buril con Protector

CrV



B mm	C mm	L mm	Part N°	€
23	13	200	762-23-13-200	18,82
23	13	250	762-23-13-250	20,73

756

Protector Bimaterial

Apta para
756 - 759 - 762



B mm	C mm	L mm	Part N°	€
23	13	160	756-160	8,47